



**SUMMARY TEST DATA
ON
BPF-3600-1800-65-SFF**

Customer: _____
 SO: _____
 Model No: BPF-3600-1800-65-SFF
 Serial No: PL51794/2512

Tested By: E. Kretz
 Temperature: 25°C
 Date: 3/19/2025
 Drawing No: 27650700 Rev: A1

TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA/QC	
1	Passband Frequency Range	2.7 GHz to 4.5 GHz	2.63 GHz to 4.59 GHz 1 dB Passband	PMI QA2	
2	VSWR	1.5:1 Max.	1.31:1		
3	Insertion Loss (Passband)	1.0 dB Max.	0.53 dB		
4	Rejection DC to 2.2 GHz	65 dBc Min.	80.5 dBc		
5	Rejection 5 GHz to 8 GHz	65 dBc Min.	69.8 dBc		
6	Passband Ripple	±0.5 dB Max.	+0.06 dB Max. -0.15 dB Max.		
7	Input Power	10 Watts Max.	See Typical Characteristics		PMI QA2

QA/QC Approval




 PMI
QA2

Date: 4/8/2025

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com






SUMMARY TEST DATA
ON
BPF-3600-1800-65-SFF



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@quanticpmi.com



SUMMARY TEST DATA
ON
BPF-3600-1800-65-SFF



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@quanticpmi.com