

**SUMMARY TEST DATA  
 ON  
 8BP1750-500-3A-SFF**

Customer: \_\_\_\_\_  
 SO: \_\_\_\_\_  
 Model No: 8BP1750-500-3A-SFF  
 Serial No: PL51814/2512

Tested By: E. Kretz  
 Temperature: 25°C  
 Date: 3/21/2025  
 Drawing No: 27650780 Rev: A1

TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA/QC
1	Passband Frequency Range	1.5 GHz to 2 GHz	1.5 GHz to 2 GHz	PMI QA2
2	Bandwidth (-3dB)	500 MHz Min.	500 MHz	
3	VSWR	1.5:1 Max.	1.39:1	
4	Insertion Loss @ 1.75 GHz	1.5 dB Max.	0.88 dB	
5	Rejection @ 950 MHz	60 dBc Min.	63.1 dBc	
6	Rejection @ 2300 MHz	60 dBc Min.	99.6 dBc	PMI QA2

QA/AC Approval:  PMI QA2

Date: 3/24/2025

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
 Email: sales@quanticpmi.com



