



**SUMMARY TEST DATA
ON
BPF-35D-4G-292FF**

Customer: _____
 SO: _____
 Model No: BPF-35D-4G-292FF
 Serial No: PL51852/2513

Tested By: E. Kretz
 Temperature: 25°C
 Date: 3/24/2025
 Drawing No: 27650720 Rev: A1




TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA/QC
1	Passband Frequency Range	33 GHz to 37 GHz	32.9 GHz to 37.1 GHz 1 dB Passband	PMI QA2
2	VSWR	1.6:1 dB Max.	1.58:1	
3	Insertion Loss (Passband)	2 dB Max.	0.88 dB	
4	Rejection	60 dB Min., DC to 31 GHz	67.2 dB	
5	Rejection	60 dB Min., 39 GHz to 43 GHz	60 dB	
6	Input Power	5 Watts Max.	See Typical Characteristics	

QA/QC Approval PMI
QA2

Date: 3/26/2025

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com

SUMMARY TEST DATA
ON
BPF-35D-4G-292FF



**SUMMARY TEST DATA
ON
BPF-35D-4G-292FF**

