

**SUMMARY TEST DATA**  
**ON**  
**PEAFS3-14-0R2535R0-6R5-23-12-292MF**

**RECERTIFIED**

*[Signature]*  
11/6/2025

Customer: \_\_\_\_\_  
SO No: \_\_\_\_\_  
Model No: PEAFS3-14-0R2535R0-6R5-23-12-292MF  
Serial No: PL54371/2529

Tested By: W. Gonzalez  
Temperature: +25°C  
Date: 7/21/2025  
Drawing No: 27646200      REV: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	8 to 18 GHz	8 to 18 GHz	PMI QA4
2	Gain:	13 dB ±2dB Max.	12.6 dB Max. 12.1 dB Min. See Plot	
3	Gain Flatness:	±1 dB Max.	±0.24 dB See Plot	
4	Noise Figure:	5 dB Max.	4.64 dB See Plot	
5	OP1dB:	24 dBm Min.	27.3 dBm See Plot	
6	VSWR: (In/Out)	2.0:1 Max.	1.8:1 In 1.8:1 Out See Plot	
7	DC Supply	+10 V @ 300 mA Typ.	270 mA	PMI QA4

QA/QC Approval: *Cummary Velazquez*

Date: 8/7/25



