

SUMMARY TEST DATA ON BPF-9D75G-0D5G-SFF

Customer: SO:
Model No: BPF-9D75G-0D5G-SFF
Serial No: PL54907/2533

Tested By: E. Kretz
Temperature: 25°C
Date: 8/13/2025
Drawing No: 27652240 Rev: A1




TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA/QC
1	Passband Frequency Range	9.5 GHz to 10 GHz	9.5 GHz to 10 GHz	PMI QA2
2	Insertion Loss (Passband)	0.9 dB Max.	0.75 dB	
3	Return Loss	14 dB Min.	22.89 dB	
4	Rejection @ DC to 8 GHz	75 dBc Min.	80 dBc	
5	Rejection @ 10.75 GHz to 15 GHz	58 dBc Min.	74.2 dBc	PMI QA2

QA/AC Approval:  PMI
QA2

Date: 9/12/2025

**SUMMARY TEST DATA
ON
BPF-9D75G-0D5G-SFF**


PL54907/2533




SUMMARY TEST DATA ON BPF-9D75G-0D5G-SFF

PL54907/2533

Wideband Insertion Loss



Rejection At DC - 8 GHz



Rejection At 10.75GHz - 15 GHz

