



**SUMMARY TEST DATA
ON
LM-1G18G-2W-SFF-BIAS**

RECERTIFIED

John R. [Signature]
4/6/2025

Customer: _____
 SO No: _____
 Model No: LM-1G18G-2W-SFF-BIAS
 Serial No: PL55583/2540

Tested By: John R.
 Temperature: +25°C
 Date: 10/3/2025
 Drawing No: 27646220

REV: A3


TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	1 to 18 GHz	1 to 18 GHz	PMI QA5
2	Insertion Loss:	2 dB Max.	1.47 dB (-1V)	
			1.49 dB (-0.5V)	
			1.51 dB (0V)	
			See Graph	
3	Input/Output VSWR:	2.0:1 Max.	1.43 :1 (-1V)	
			1.41 :1 (-0.5V)	
			1.4 :1 (0V)	
			See Graph	
4	RF Leakage (2W Input):	27 dBm Max. (-1V) 25 dBm Max. (-0.5V) 23 dBm Max. (0V)	Pass See Typical Characteristics	
5	P1dB:	+18 dBm Min. (-1V) +14 dBm Min. (-0.5V) +8 dBm Min. (0V)	+18 dBm @ -1V	
			+15 dBm @ -0.5V	
			+11 dBm @ 0V	
			See Graph	
6	Set Voltage Control	-1.5 to 0 VDC @ 1 mA Max.	-1.0 to 0 VDC See Graph	PMI QA5

QA/QC Approval: *Jordan [Signature]*

Date: 10/16/25




**SUMMARY TEST DATA
ON
LM-1G18G-2W-SFF-BIAS**

PL55583/2540



**SUMMARY TEST DATA
ON
LM-1G18G-2W-SFF-BIAS**

PL55583/2540



**SUMMARY TEST DATA
ON
LM-1G18G-2W-SFF-BIAS**

PL65583/2540

