




**SUMMARY TEST DATA  
ON  
LPF-950M1R6G-SFF**




Customer: \_\_\_\_\_  
 SO No: \_\_\_\_\_  
 Model No: LPF-950M1R6G-SFF  
 Serial No: PL57051/2551

Tested By: A Karoly  
 Temperature: 25°C  
 Date: 1/13/2026  
 Drawing No: 27647560      Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Passband Frequency Range	0.95 GHz to 1.6 GHz	0.95 GHz to 1.6 GHz	PMI QA1
2	Flatness	1.2 dB Max.	0.96 dB	
3	Insertion Loss	1.2 dB Max.	1.17 dB	
4	VSWR	1.5:1 Max.	1.38:1	
5	Rejection @ 1.8 to 5 GHz	40 dBc Min.	42.4 dBc	
6	Input Power	20 Watts CW Max	Pass By Design	PMI QA1

QA/QC Approval:       PMI QA1      Date: 3/20/26

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
 Email: sales@quanticpmi.com



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
Email: sales@quanticpmi.com

