



**SUMMARY TEST DATA
ON
BPF-1D3G2D3G-SMT**

Customer: _____
 SO: _____
 Model No: BPF-1D3G2D3G-SMT
 Serial No: PL59250/2618

Tested By: OLIVER K
 Temperature: +25°C
 Date: 4/14/2026
 Drawing No: 27647980 Rev: A1




TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA/QC	
			25°C		
1	Passband Frequency Range	1.3 GHz to 2.3 GHz	1.3 GHz to 2.3 GHz	PMI QA6	
2	Insertion Loss	5 dB Max.	3.16 dB		
3	VSWR	2.1:1 dB Max.	1.8:1		
4	Rejection	60 dBc Min., 0.5 to 1.2 GHz 60 dBc Min., 2.4 to 6.5 GHz	73.51 dBc 60.98 dBc		
5	Passband Ripple	±1.75 dB Max.	±0.49 dB		PMI QA6

QA/AC Approval Anthony Kravitz PMI QA6 Date: 4/20/26

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com






SUMMARY TEST DATA
ON
BPF-1D3G2D3G-SMT



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@quanticpmi.com



SUMMARY TEST DATA
ON
BPF-1D3G2D3G-SMT



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@quanticpmi.com