

**Summary Test Data
ON
APD-8-1G6G-292FF-SPACE**

Customer: _____
SO No: _____
Model No: APD-8-1G6G-292FF-SPACE
Serial No: PL58411/2610

Tested By: K. Wagaman
Temperature: +25 °C
Date: 3/4/2026
Drawing No: 27653763 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS +25°C	QA QC	
1	Frequency Range:	1 GHz – 6 GHz	1 GHz – 6 GHz	PMI QAS	
2	Insertion Loss:	1 to 2 GHz – 2 dB Max. 2 to 6 GHz - 2.5 dB Max.	1.4 dB 1.53 dB See Graph	PMI QAS	
3	Isolation:	1 to 2 GHz – 10 dB Typ. 2 to 6 GHz - 20 dB Typ.	11.2 dB 20.6 dB See Graph		
4	VSWR: (Input)	1 to 2 GHz – 2.6:1 Max. 2 to 6 GHz - 2.1:1 Max.	2.19:1 1.58:1 See Graph		
5	VSWR: (Output)	1 to 2 GHz – 1.5:1 Max. 2 to 6 GHz - 1.7:1 Max.	1.18:1 1.43:1 See Graph		
6	Amplitude Balance:	1 to 2 GHz - ±0.5 dB Max. 2 to 6 GHz - ±0.3 dB Max.	±0.06 dB ±0.13 dB See Graph		
7	Phase Balance:	1 to 2 GHz - 3° Max. 2 to 6 GHz - 4° Max.	1° 2.5° See Graph		
8	Insertion Loss Flatness (Ref Line of Best Fit)	1 to 6 GHz - ± 1 dB Max.	±0.11 dB		PMI QAS

Note: Amplitude and Phase Balance are relative to J2 port.

* FOR ALL OTHER SPECIFICATIONS PLEASE SEE THE TYPICAL CHARACTERISTICS ON THE COMPANY WEBSITE

QA/QC Approval: *Jordan Meyer*

Date: *3-4-26*





