

**SUMMARY TEST DATA
 ON
 DP-1D2G-2D725G-CD-SFF**

Customer: _____
 SO No: _____
 Model No: DP-1D2G-2D725G-CD-SFF
 Serial No: PL58710/2612

Tested By: k Craven
 Temperature: 25°C
 Date: 3/18/2026
 Drawing: 27644840 Rev A1

Low Passband

TEST ITEM	PARAMETERS	SPECIFIED VALUE	Test Results	QA/QC
1	Low Passband	0.5 - 1.82 GHz	0.5 - 1.82 GHz	PMI QA1
2	Insertion Loss*	2 dB MAX	1.44 dB	
3	2 dB Crossover	1.84 GHz TYP 1.82 GHz MIN	1.86 GHz	
4	VSWR*	2.0:1 MAX	1.94:1	
5	Rejection (50 dB TYP, 45 dB MIN)	DC - 0.3 GHz & 2.2 - 4.4 GHz	62.88 dB	

High Passband

6	High Passband	1.98 - 3.55 GHz	1.98 - 3.55 GHz	
7	Insertion Loss*	2 dB MAX	1.27 dB	
8	2 dB Crossover	1.95 GHz TYP 1.98 GHz MAX	1.94 GHz	
9	VSWR*	2.0:1 MAX	1.8:1	
10	Rejection (50 dB TYP, 45 dB MIN)	DC - 1.6 GHz & 4.0 - 8 GHz	57.72 dB	

General Specifications

11	Crossover	1.9 GHz / 6 dB IL NOM	6.6 dB	PMI QA1
12	Power Handling	1 W MAX	See Typical Characteristics	

*Excluding crossover region defined as 1.82 - 1.98 GHz

QA/QC Approval:  PMI QA1

Date: 3/20/26





