

**SUMMARY TEST DATA
ON
PS-2G18G-360-12D-TS**

Customer: _____

Tested By: A. Mousavi

SO No: _____

Temperature: +25°C

Model No: PS-2G18G-360-12D-TS

Date 3/31/2026

Serial No: PL58905/2614

Drawing No: 27635120 Rev: A1

TEST ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Frequency Range	2.0 GHz to 18.0 GHz	2.0 GHz to 18.0 GHz	PMI QA6	
2	Phase Range	360°	360°		
3	Insertion Loss	18 dB MAX	17.26 dB		
4	VSWR	2.2:1 MAX	2.02:1		
5	Amplitude Variation Vs. Phase (PM/AM)	±3.5 dB TYP.	±1.54 dB		
6	Phase vs. Frequency	±15.0° TYP.	±10.02°		
7	Control Logic	12 BIT TTL Compatible.	Verified		
8	Control Slopes	Linear	Verified		
9	Switching Speed	500 nSec MAX.	410 nsec TYP (See Typical Characteristics)		
10	Power Supply	+12 to +15V @ 100 mA -12 to -15V @ 100 mA	+15 @ 50 mA -15 @ 90 mA		PMI QA6

*Measured at 0 dBm Input Power

QA/QC Approval: Anthony Kardos PMI QA6

Date: 3/31/26


**SUMMARY TEST DATA
ON
PS-2G18G-360-12D-TS**

PL58905/2614


Phase State Legend

Phase 0 (0 °)	Phase 1 (11.25 °)	Phase 2 (22.5 °)	Phase 3 (33.75 °)
Phase 4 (45 °)	Phase 5 (56.25 °)	Phase 6 (67.5 °)	Phase 7 (78.75 °)
Phase 8 (90 °)	Phase 9 (101.25 °)	Phase 10 (112.5 °)	Phase 11 (123.75 °)
Phase 12 (135 °)	Phase 13 (146.25 °)	Phase 14 (157.5 °)	Phase 15 (168.75 °)
Phase 16 (180 °)	Phase 17 (191.25 °)	Phase 18 (202.5 °)	Phase 19 (213.75 °)
Phase 20 (225 °)	Phase 21 (236.25 °)	Phase 22 (247.5 °)	Phase 23 (258.75 °)
Phase 24 (270 °)	Phase 25 (281.25 °)	Phase 26 (292.5 °)	Phase 27 (303.75 °)
Phase 28 (315 °)	Phase 29 (326.25 °)	Phase 30 (337.5 °)	Phase 31 (348.75 °)


Insertion Loss Vs. Frequency




**Amplitude Vs. Frequency
(PM/AM)**




**Maximum Amplitude Variation From Center
(All Phase States) Vs. Frequency (PM/AM)**




Input Return Loss Vs. Frequency




Output Return Loss Vs. Frequency




Phase Vs. Frequency





**Amplitude Linearity Vs. Phase
(PM/AM)**



— 2 GHz — 4 GHz — 6 GHz — 8 GHz — 10 GHz — 12 GHz — 14 GHz — 16 GHz — 18 GHz