



**SUMMARY TEST DATA  
ON  
P2T-0R3G18G-80-T-55-SFF**

Customer: \_\_\_\_\_  
 SO No: \_\_\_\_\_  
 Model No: P2T-0R3G18G-80-T-55-SFF  
 Serial No: PL59661/2619

Tested By: OLIVER K  
 Temperature: 25°C  
 Date: 5/7/2026  
 Drawing No: 27629411 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range	0.3 GHz to 18 GHz	0.3 GHz to 18 GHz	PMI QA6
2	Insertion Loss	3.5 dB Max.	3.2 dB	
3	Isolation	80 dB Min.	85.5 dB	
4	VSWR: In/Out	2:1 Max.	1.83:1 In 1.9:1 Out	
5	VSWR: Output/Off	2:1 Max.	1.85:1	
6	Rise Time Fall Time	50 ns Max. 50 ns Max.	Pass See Typical Characteristics	
7	Input Power	20 dBm CW Max.	Pass See Typical Characteristics	
8	DC Supply	+5VDC @ 65 mA Max. -5VDC @ 50 mA Max.	+ VDC @ 40 mA - VDC @ 40 mA	PMI QA6

QA/QC Approval: Anthony Kardys PMI QA6 Date: 5/11/26



