



SUMMARY TEST DATA
ON
LM-1G18G-15-3W-500WP-SFF

Customer: _____
 SO No: _____
 Model No: LM-1G18G-15-3W-500WP-SFF
 Serial No: PL60353/2621

Tested By: A. Mousavi
 Temperature: +25°C
 Date: 5/23/2026
 Drawing No: 27634281

REV: A1

| TEST ITEM NO. | PARAMETERS | SPECIFIED VALUE | Test Results | QA QC |
|---------------|---------------------|--------------------------------------|--------------------------------------|--------------------------|
| 1 | Frequency Range: | 1.0 to 18.0 GHz | 1.0 to 18.0 GHz | <i>PMI</i> <i>QA6</i> |
| 2 | Insertion Loss: | 2.5 dB Max. @ -20 dBm Input Power | 2.31 dB See Graph | |
| 3 | Recovery Time: | 100 ns Typical | Pass See Typical Characteristics | |
| 4 | VSWR: | 2.0:1 Max. @ -20 dBm Input Power | 1.91:1 In 1.88:1 Out See Graph | |
| 5 | RF Power Handling: | 3 W CW Max. | Pass See Typical Characteristics | |
| | | 500W Peak Max. (1 μs PW, 0.1% DC) | Pass See Typical Characteristics | |
| 6 | Limiting Threshold: | +17 dBm Typ. (1 dB Compression) | +11 dBm See Graph | <i>PMI</i> <i>QA6</i> |

QA/QC Approval:

Anthony Karoly

 PMI
 QA6

Date:

5/27/26

**SUMMARY TEST DATA
 ON
 LM-1G18G-15-3W-500WP-SFF**

