



**SUMMARY TEST DATA
ON AMPLIFIER**

Customer :
 Job No :
 Model No : PE2-25-8G10G-2R0-15-12-SFF
 Part No : 27311020
 Serial No : PL6062

Tested By : Hugo Gonzales
 Temperature : +25°C
 Date : 08/26/09


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	8.5 to 9.6 GHz	Pass	
2	Gain:	25dB ±1dB	Pass (See Plot)	
3	Gain Flatness:	±1dB Max.	±0.83dB	
4	Noise Figure:	2.0dB Max.	(See Plot)	
5	Pout @ 1dB Compression:	+8dBm ±1dBm	7.21dBm - 8.5GHz 7.95dBm - 9.6GHz	
6	Impedance:	50 Ohms ±2 Ohms	Pass	
7	VSWR In/Out:	1.8:1 Max.	Pass (See Plot)	
8	Input Power:	+16dBm CW Max.	Pass	
9	DC Supply:	120mA @ +12V ±5%	112mA @ +12V ±5%	
10	Operating Temperature:	-10 to +70°C	Pass	

Production Manager Approval: _____ Date: _____

QA/QC Approval: _____ Date: _____



VNA Plot





Noise Figure Plot

