

**SUMMARY TEST DATA
ON
ATN-30-100M18G-USB**

Customer: _____
 SO No: _____
 Model No: ATN-30-100M18G-USB
 Serial No: 61499
 Part No: _____



Tested By: D. Durbin
 Temperature: 25 Degrees C
 Date: 3/22/2021
 Drawing No: 27622510 Rev: B1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency:	0.1 to 18.0 GHz	0.1 to 18.0 GHz	PMI QA 2
2	Attenuation Range	30dB	29.9 dB (See Plot)	
3	Insertion Loss:	5db TYP.	4.5 dB (See Plot)	
4	VSWR In/Out	2.5:1 TYP.	2.0 :1 (See Plot)	
5	Accuracy:	±2.5dB TYP.	+1.4 dB -1.2 dB (See Plot)	
6	Attenuation Step:	1dB	1.0 dB	
7	DC Supply and Control:	USB 2.0	Pass	

QA/QC Approval:  PMI
QA 2 Date: 3/29/21

SUMMARY TEST DATA ON ATN-30-100M18G-USB

61499



SUMMARY TEST DATA ON ATN-30-100M18G-USB

