

**SUMMARY TEST DATA
ON
FILTER**

Customer	:	
SO No	:	
Model No	:	<u>8CL1780-140-CD-SFF</u>
Serial No	:	<u>PL6192/0940 – PL6193/0940</u>

Tested By	:	<u>S. Palacio</u>
Temperature	:	<u>+25°C</u>
Date	:	<u>9/24/09</u>

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	QA/QC
1	Passband Fo:	1780 MHz	See plots	
2	0.5dB Passband Bandwidth:	140 MHz	See plots	
3	Passband Insertion Loss:	1 dB Max	See plots	
4	Rejection	65 dB @ 1572 MHz	See plots	
5	Rejection	65 dB from 2200 MHz – 2400 MHz	See plots	
8	Pass band VSWR	1.5:1 Max	See plots	


Production Manager Approval: _____ Date: _____

QA/QC Approval: _____ Date: _____

<p>PLANAR MONOLITHICS INDUSTRIES, INC. 7311-F GROVE ROAD FREDERICK, MD 21704 TEL: 301-682-5019 FAX: 301-662-1731 www.pmi-rf.com</p>



PL6192/0940



PLANAR MONOLITHICS INDUSTRIES, INC.


7311-F GROVE ROAD FREDERICK, MD 21704

TEL: 301-682-5019 FAX: 301-662-1731

www.pmi-rf.com



PL6193/0940



PLANAR MONOLITHICS INDUSTRIES, INC.

7311-F GROVE ROAD FREDERICK, MD 21704

TEL: 301-682-5019 FAX: 301-662-1731

www.pmi-rf.com