



**SUMMARY TEST DATA
ON AMPLIFIER**

Customer :
 Job No :
 Model No : PE2-25-0R15-15-SFF
 Serial No : PL715R2

Tested By : Kevin Mason
 Temperature : +25°C
 Date : 02/10/05


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	0.1 – 5.0 GHz	Pass (See Plot)	
2	Gain Nominal:	+20 to +30 dB Min.	Pass (See Plot)	
3	Flatness:	±1.5 dB Max.	±0.74 dB	
4	Noise Figure:	8.0 dB Max.	Pass (See Plot)	
5	Pout @ 1dB Compression:	+5 dBm Min.	≥ +5 dBm	
6	VSWR:	Input : 2.0:1 Output: 2.0:1 (Max.)	Pass (See Plot)	
7	DC Supply:	150mA @ +15V Max.	105mA @ +15V	

Production Manager Approval:  Date: 02/10/05

QA/QC Approval:  Date: 02/10/05

5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com


VNA Plot



5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com



Noise Figure Plot (reconfirmed 02/10/05)



5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
email: sales@planarelec.com