

SUMMARY TEST DATA ON QC-7G18G-SFF-30W

Customer: _____
 SO No: _____
 Model No: QC-7G18G-SFF-30W
 Serial No: 92157
 Part No: _____

Tested By: K. Mansfield
 Temperature: +25°C
 Date: 3/28/2019
 Drawing No: 27625862 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	7.0 to 18.0 GHz	7.0 to 18.0 GHz	PMI QA 1
2	Insertion Loss:	≤ 1.3 dB	0.91 dB (See Plot)	
3	VSWR:	$\leq 1.4:1$	1.39:1 (See Plot)	
4	Nominal Split:	3.01 dB	Pass (See Typical Characteristics)	
5	Isolation:	18 dB Minimum	18.4 dB (See Plot)	
6	Amplitude Balance:	$\leq \pm 0.5$ dB	± 0.42 dB (See Plot)	
7	Phase Balance:	$\leq \pm 5^\circ$	$+1.1^\circ$ -2.5° (See Plot)	
8	Power Handling:	Average ≤ 30 W Peak ≤ 1 kW	Average ≤ 30 W Peak ≤ 1 kW	
9	Impedance:	50 Ω	50 Ω	PMI QA 1

QA/QC Approval: _____

PMI
QA 1


Date: _____

3/29/19


**SUMMARY TEST DATA
ON
QC-7G18G-SFF-30W**

92157


Insertion Loss



VSWR



Isolation






**SUMMARY TEST DATA
ON
QC-7G18G-SFF-30W**

92157

Amplitude Balance



Phase Balance

