




**SUMMARY TEST DATA
ON
AMPLIFIER**

Customer :
 Job No :
 Model No : PE2-22-1123-12-SFF
 Serial No : PL950/0326

Tested By : Kevin Mason
 Temperature : +25°C
 Date : 06/13/03

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	11 – 23 GHz	PASS	
2	Gain Nominal Typ.	+21.5 dB	See Plot	
3	Flatness:	±1.5 dB max.	±1.39 dB	
4	Noise Figure:	8.0 dB max.	See plot	
5	Pout @ 1dB Compression:	+22 dBm min.	≥ +22 dBm	
6	VSWR:	Input : 2.1:1 Output: 2.1:1 Max.	See plot	
7	DC Supply:	600mA @ +12V max.	555mA @ +12V	

Production Manager Approval:  Date: 06/13/03

QA/QC Approval:  Date: 06/13/03


7311-G Grove Road Frederick, MD 21704 USA Phone: (301) 662-5019 Fax: (301) 662-1731
 email: sales@planarelec.com



VNA PLOT
Model No: PE2-22-1123-12-SFF

13 Jun 2003 09:23:39

CH1	S21	LOG	3 dB/	REF 22 dB	2: 21.549 dB	17.600 000 000 GHz
CH2	S11	LOG	5 dB/	REF -9.54 dB	1: -9.1800 dB	16.940 000 000 GHz
CH3	S22	LOG	5 dB/	REF -7 dB	1: -5.6390 dB	18.920 000 000 GHz



7311-G Grove Road Frederick, MD 21704 USA Phone: (301) 662-5019 Fax: (301) 662-1731
 email: sales@planarelec.com

Noise Figure Plot
Model No: PE2-22-1123-12-SFF

