

DESCRIPTION

PMI MODEL: PS-380M430M-360-A-SFF-TYPEB IS AN ANALOG PHASE SHIFTER OPERATING OVER THE 380 TO 430 MHz FREQUENCY RANGE. THIS MODEL OFFERS A 360° PHASE SHIFT RANGE WHILE MAINTAINING A PHASE SWITCHING SPEED OF 100 ns TYPICAL AND AN AMPLITUDE VARIATION OF 0.5 dBm MAXIMUM.

SPECIFICATIONS

- FREQUENCY RANGE: ----- 380 MHz TO 430 MHz
- RF INPUT POWER: ----- 0 dBm
- RF OUTPUT POWER: ----- 20 dBm
- PHASE RANGE: ----- 360°
- CONTROL VOLTAGE: ----- ±10 VDC
- CONTROL BANDWIDTH: ----- DC TO 50 kHz
- PHASE SWITCHING SPEED: ----- 100 ns TYPICAL
- AMPLITUDE VARIATION: ----- 0.5 dBm MAXIMUM
- PHASE VARIATION FROM SET POINT: - ±0.1° MAXIMUM
- VSWR: ----- 1.2:1 MAXIMUM
- DC SUPPLY: ----- +15 V @ 150 mA TYPICAL
-15 V @ 25 mA TYPICAL
- CONNECTORS: ----- SMA FEMALE
- SIZE: ----- 127 mm x 76.20 mm x 57.15 mm
5.00" x 3.00" x 2.25"
EXCLUDING MOUNTING PLATE
- FINISH: ----- BLUE EPOXY POLIMIDE COATING
IAW MIL-C-22750, TYPE I OVER
EPOXY POLIMIDE PRIMER IAW
MIL-P-23377, TYPE I, CLASS 1 OR 3.


ENVIRONMENTAL RATINGS

- TEMPERATURE: ----- 0 °C TO +70 °C (OPERATING)
- HUMIDITY: ----- MIL-STD-202, METHOD 103B COND. B
- SHOCK: ----- MIL-STD-202, METHOD 213B COND. B
- VIBRATION: ----- MIL-STD-202, METHOD 204D COND. B
- ALTITUDE: ----- MIL-STD-202, METHOD 105C COND. B
- TEMPERATURE CYCLE: ----- MIL-STD-202, METHOD 107D COND. A

NOTE: SPECIFICATIONS WILL VARY OVER OPERATING TEMPERATURE

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

PMI CONFIDENTIAL AND PROPRIETARY



REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	-	PRELIMINARY	08/09/16	

ALL DIMENSIONS
ARE IN mm [INCH]
TOLERANCES:
X.XX ± 0.508 [0.020]
X.XXX ± 0.254 [0.010]

PLANAR MONOLITHICS INDUSTRIES, INC.
7311-F GROVE ROAD
FREDERICK, MARYLAND 21704 USA
TEL: (301)-662-5019, FAX: (301)-662-1731
WEB: www.pmi-rf.com, EMAIL: sales@pmi-rf.com
ISO 9001 CERTIFIED



APPROVALS		DATE	TITLE			
DRAWN <i>M. Berry</i>		08/09/16	PRODUCT FEATURE PS-380M430M-360-A-SFF-TYPEB 380 to 430 MHz 360° Analog Phase Shifter			
CHECKED			SIZE	FSCM NO.	DWG NO.	REV.
ISSUED			A	05XQ0	PRELIMINARY	-
			SCALE	N:S	SHEET	1 OF 1