

DESCRIPTION

PMI MODEL LM-10M2D5G-100CW-1KWP-SFF-ROHS IS A RF LIMITER THAT OPERATES IN THE 10 MHz TO 2.5 GHz FREQUENCY RANGE. THIS LIMITER CAN HANDLE 100W CW AND 1kW PEAK (1% DUTY CYCLE, 1 usec MAXIMUM PULSE WIDTH) INPUT POWER AND PROVIDES A MAXIMUM LEAKAGE OF 14 dBm MAXIMUM AT 10W CW INPUT. THIS MODEL HAS A LOW INSERTION LOSS OF 0.8 dB AND A RECOVERY TIME OF 2 usec TYPICAL.

SPECIFICATIONS

- FREQUENCY RANGE: 10 MHz TO 2.5 GHz
- INSERTION LOSS: 0.8 dB MAXIMUM
- INPUT/OUTPUT VSWR: 1.3:1 MAXIMUM (AT -10 dBm INPUT)
- IMPEDANCE: 50 OHMS
- INPUT POWER: 100 WATTS CW MAXIMUM (NOTES 1, 2)
1 kW PEAK (1% DUTY CYCLE, 1 usec MAXIMUM PULSE WIDTH)
(NOTES 1, 2, 3, 4)
- MAXIMUM FLAT LEAKAGE: 14 dBm MAXIMUM AT 10W CW
- P1dB: 0 dBm MINIMUM
- RECOVERY TIME: 2 usec TYPICAL
- OPTION: HERMETIC OR NOT HERMETIC SEALING AVAILABLE
(ADD -HERM TO MODEL NUM FOR HERMETICALLY SEALED VERSION)
- FINISH: GOLD PLATED

- NOTES:
 1. POWER RATING AT 25°C: DERATED LINEARLY TO ZERO @ 150°C
 2. HIGH POWER TEST DURATION: FULL RATED POWER FOR 10 SECONDS
 3. HIGH POWER PEAK CONDITIONS: 1kW PEAK (1% DUTY CYCLE, 1 usec MAXIMUM PULSE WIDTH)
 4. EXTERNAL DC BLOCKS ARE REQUIRED FOR PROPER FUNCTION.


ENVIRONMENTAL RATINGS

- TEMPERATURE: -55°C TO +85° (OPERATING)
-60°C TO +100°C (STORAGE)
- STABILIZATION BAKE: MIL-STD-883, METHOD 1008, TEST COND. B
- THERMAL CYCLE: MIL-STD-883, METHOD 1010, TEST COND. B
- CONSTANT ACCELERATION: MIL-STD-883, METHOD 2001, A (Y1 AXIS)
- EXTERNAL VISUAL: MIL-STD-883, METHOD 2009

NOTE: SPECIFICATIONS WILL VARY OVER OPERATING TEMPERATURE
NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A1	ORIGINAL RELEASE	01/08/24	

MECHANICAL OUTLINE



PMI CONFIDENTIAL AND PROPRIETARY

7309-A GROVE ROAD
FREDERICK, MARYLAND 21704 USA
TEL: (301)-662-5019, FAX: (301)-662-1731
WEB: www.quanticipmi.com
EMAIL: sales@quanticipmi.com
ISO 9001 CERTIFIED

Quantic PMI
PLANAR MONOLITHICS

ALL DIMENSIONS ARE IN INCHES
TOLERANCES:
X.XX ±0.020
X.XXX ±0.010

APPROVALS		DATE	TITLE			
DRAWN <i>ML</i>		01/08/24	PRODUCT FEATURE			
CHECKED			LM-10M2D5G-100CW-1KWP-SFF-ROHS			
ISSUED			SIZE	FSCM NO.	DWG NO.	REV.
			A	05XQ0	27047880	A1
			SCALE	N: S	SHEET	1 OF 1