DESCRIPTION:

PFC model number 8CL6D3G-200-CD-SFF is a Combline Bandpass filter with SMA female connectors in and out. All filters will be machined and silver plated to provide the highest possible Q.

	REVISIONS											
ZO	NE REV	DESCRIPTION	DATE	APPROVED								
	_	ORIGINAL RELEASE	9/11/01									

SPECIFICATIONS:

• CENTER FREQUENCY: 6300 MHz

 3dB BANDWIDTH: · · · · · · · · · · 200 MHz


◆ VSWR IN THE PASS BAND: 1.5:1 MAX.

 INSERTION LOSS (PASSBAND) < 2 dB MAX.</p>

 REJECTION @ 6100 MHz -40 dB

• REJECTION @ 6500 MHz -40 dB

 REJECTION FROM 6600 TO 15500 MHz · -60 dB




0.350 0.313 0.175

• CONNECTORS: SMA FEMALE CONNECTORS

• SIZE 2.30" (L) x 0.625" (W) x 0.35" (H)

· 1 OZ. TYP.



ENVIRONMENTAL RATINGS:

• TEMPERATURE: -55°C TO +85°C (OPERATING) -65°C TO +125°C (STORAGE)

HUMIDITY: MIL-STD-202F, METHOD 103B COND. B

SHOCK: MIL-STD-202F, METHOD 213B COND. B

VIBRATION: MIL-STD-202F, METHOD 204D COND. B

ALTITUDE: MIL-STD-202F, METHOD 105C COND. B

MIL-STD-202F, METHOD 107D COND. A SALT FOG:

MIL-STD-810C, METHOD 508.2 • FUNGUS:

• TEMPERATURE CYCLE: MIL-STD-202F, METHOD 107

ALL DIMENSIONS ARE IN INCHES TOLERANCES: XXX ±0.010 XXXX ±0.005

0.060

PART NO. 155-090	Planar Filter Company 7311G Grove Road, Fredrick, Maryland									
APPROVALS	TITLE		5.010	1000, 1	rounding in					
S PALACIO	9/11/01	OUTLINE DRAWING 8CI 6D3G-200-CD-SFF								
CHECKED		000036-200-00-344								
ISSUED		SIZE	FSCM NO.		DWG NO.					REV
		A 1QJWO			155-0	901			_	
		SCALE	: N/A				SHEET	1	OF	1

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION