

DESCRIPTION

PMI MODEL NUMBER: P16T-18G40G-90-R-512-SFF-DEC IS A SINGLE POLE, SIXTEEN THROW REFLECTIVE PIN DIODE SWITCH THAT OPERATES FROM 18.0 TO 40.0 GHz FREQUENCY RANGE. THIS MODEL HAS A TYPICAL INSERTION LOSS OF 8.5dB AND 50dB OF ISOLATION. IT OPERATES AT 20dBm CW AND IS CONTROLLED WITH 4-BIT DECODED TTL LOGIC.

SPECIFICATIONS

- FREQUENCY RANGE: 18.0 TO 40.0 GHz
- INSERTION LOSS: 12dB Typ.
- ISOLATION: 50dB Min.
- VSWR - INPUT/OUTPUT: 2.5:1 Typ.
- VSWR - OUTPUT/OFF: 2.5:1 Typ.
- SWITCHING SPEED:
 - RISE/FALL: 50ns Typ. / 10ns Typ.
 - DELAY ON/OFF: 150ns Max.
- INPUT POWER: +20dBm CW
- CONTROL: 4-BIT DECODED TTL LOGIC - SEE TABLE
- CONNECTORS: 2.92mm (F) REMOVABLE
- POWER SUPPLY: +5VDC @ 750mA Max.
-12VDC @ 200mA Max.
- SIZE: (L) 8.00" X (W) 3.00" (H) 0.65"
- FINISH: GOLD PLATED

OPTIONS:

- -IND: INDIVIDUAL CONTROL LOGIC

ENVIRONMENTAL RATINGS:

TEMPERATURE: -40°C TO +85°C (OPERATING)
-65°C TO +125°C (STORAGE)

HUMIDITY: MIL-STD-202F, METHOD 103B COND. B

SHOCK: MIL-STD-202F, METHOD 213B COND. B

VIBRATION: MIL-STD-202F, METHOD 204D COND. B

ALTITUDE: MIL-STD-202F, METHOD 105C COND. B

TEMPERATURE CYCLE: MIL-STD-202F, METHOD 107 COND. A


NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

LOGIC TABLE				
E1	E2	E3	E4	CONNECTOR
0	0	0	0	J1 ON
0	0	0	1	J2 ON
0	0	1	0	J3 ON
0	0	1	1	J4 ON
0	1	0	0	J5 ON
0	1	0	1	J6 ON
0	1	1	0	J7 ON
0	1	1	1	J8 ON
1	0	0	0	J9 ON
1	0	0	1	J10 ON
1	0	1	0	J11 ON
1	0	1	1	J12 ON
1	1	0	0	J13 ON
1	1	0	1	J14 ON
1	1	1	0	J15 ON
1	1	1	1	J16 ON

ALL DIMENSIONS ARE IN INCHES
TOLERANCES:
X.XX ±0.020
X.XXX ±0.010

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	-	PRELIMINARY	1/12/18	

MECHANICAL OUTLINE



PMI CONFIDENTIAL AND PROPRIETARY

PLANAR MONOLITHICS INDUSTRIES, INC.

7311-F GROVE ROAD
FREDERICK, MARYLAND 21704 USA
TEL: 301-662-5019 FAX: 301-662-1731
WEBSITE: www.pmi-rf.com
E-MAIL: sales@pmi-rf.com
ISO 9001 CERTIFIED



APPROVALS		DATE	TITLE		
DRAWN <i>B. Thomas</i>		5/4/17	PRODUCT FEATURE		
REDRAWN <i>GW</i>		1/12/18	P16T-18G40G-90-R-512-SFF-DEC		
ISSUED			SIZE	FSCM NO.	DWG NO.
			A	05XQ0	PRELIMINARY
			SCALE	N:S	SHEET 1 OF 1