## **DESCRIPTION:**

PFC model number 8C902D5-25-CD-SFF is a Cavity filter with SMA female connectors in and out. All filters will be machined and silver plated to provide the highest possible Q.

	REVISIONS										
ZONE	REV.	DESCRIPTION	DATE	APPROVED							
	ı	ORIGINAL RELEASE	1/21/03								

## **SPECIFICATIONS:**


• CENTER FREQUENCY: 902.5 MHz

3dB BANDWIDTH: 25 MHz

● VSWR IN THE PASS BAND: 1.5:1 MAX.


• INSERTION LOSS (PASSBAND) 1.0 dB MAX.

• REJECTION 8 POLE RESPONSE



CONNECTORS:
 SMA FEMALE CONNECTORS

● WEIGHT · · · · · · · · · · · · 1 OZ. TYP.



## **ENVIRONMENTAL RATINGS:**

• TEMPERATURE: -55°C TO +85°C (OPERATING) -65°C TO +125°C (STORAGE)

HUMIDITY:
 MIL-STD-202F, METHOD 103B COND. B
 SHOCK:
 MIL-STD-202F, METHOD 213B COND. B

VIBRATION:
 MIL-STD-202F, METHOD 213B COND. B

 VIBRATION:
 MIL-STD-202F, METHOD 204D COND. B

ALTITUDE: MIL-STD-202F, METHOD 105C COND. B

• SALT FOG: MIL-STD-202F, METHOD 107D COND. A

FUNGUS: MIL-STD-810C, METHOD 508.2
 TEMPERATURE CYCLE: MIL-STD-202F, METHOD 107

ALL DIMENSIONS ARE IN INCHES TOLERANCES: XXX ±0.010 XXXX ±0.005

PART NO. 155-1605	Planar Filter Company 7311G Grove Road, Fredrick, Maryland								
APPROVALS	DATE	TITLE	3110 01		1044, 1	roundit, m	ai yiaii		
DRAWN S. PALACIO	1/21/03	OUTLINE DRAWING							
CHECKED		8C902D5-25-CD-SFF							
ISSUED		SIZE	FSCM NO.		DWG NO.				REV.
		Α	1QJW	vo		155-1	605		-
		SCALE	· N / Δ				SHEET	1 OF	1

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION