DESCRIPTION

LOW NOISE AMPLIFIER DESIGNED FOR MILITARY AND INDUSTRIAL APPLICATIONS. THIS AMPLIFIER IS SUPPLIED IN OUR STANDARD PE2 HOUSING THAT CAN BE USED AS AN SMA CONNECTORIZED OR A SURFACE MOUNT COMPONENT. OTHER PACKAGES AND CONNECTOR TYPES ARE AVAILABLE. THIS MODEL PROVIDES THE FOLLOWING PERFORMANCE. DATA IS AVAILABLE UPON REQUEST.

SPECIFICATIONS

FREQUENCY RANGE:	— 0.25	to	18.0	GHZ
------------------	---------------	----	------	-----

• GAIN:———— 45 dB TYPICAL

• GAIN FLATNESS:— ±1.75 dB MAXIMUM

NOISE FIGURE:
 5.0 dB TYPICAL

• OP1dB:-----+22 dBm MINIMUM

• VSWR (IN/OUT): _______ 2.0:1 MAXIMUM

EXCLUDING CONNECTORS

• FINISH — GOLD PLATED

FEATURES

- INTERNAL VOLTAGE REGULATION
- UNCONDITIONAL STABILITY

AVAILABLE OPTIONS

- VARIOUS PACKAGE TYPES
- VARIOUS CONNECTOR TYPES
- TEMPERATURE COMPENSATION
- GAIN AND PHASE MATCHING
- MIL-STD-883 SCREENING AVAILABLE

ENVIRONMENTAL RATINGS

- TEMPERATURE: -20 °C TO + 70 °C (OPERATING) -55 °C TO +125 °C (STORAGE)
- HUMIDITY: ______ MIL-STD-202F, METHOD 103B COND. B
- SHOCK: ______ MIL-STD-202F, METHOD 213B COND. B
- ALTITUDE: _____ MIL-STD-202F, METHOD 105C COND. B
- TEMPERATURE CYCLE: MIL-STD-202F, METHOD 107D COND. A

NOTE: SPECIFICATIONS WILL VARY OVER OPERATING TEMPERATURE NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION ALL DIMENSIONS ARE IN INCHES

TOLERANCES:

X.XX ±0.020

X.XXX ±0.010


 REVISIONS

 ZONE
 REV.
 DESCRIPTION
 DATE
 APPROVED


 —
 PRELIMINARY
 11/2/15
 99

MECHANICAL OUTLINE

PE2 HOUSING WITH CARRIER



PE2 HOUSING WITHOUT CARRIER (SURFACE MOUNT)



PLANAR MONOLITHICS INDUSTRIES, INC

4921 ROBERT J MATHEWS PKWY, STE 1 EL DORADO HILLS, CALIFORNIA 95762 TEL: 916-542-1401 FAX: 916-265-2597 WEBSITE: www.pmi-rf.com E-MAIL: sales@pmi-rf.com

ISO 9001 CERTIFIED



		TITLE									
APPROVALS	DATE	PRODUCT FEATURE									
drawn $\mathcal{J}\mathcal{J}$	11/2/15	PE2-45-0R2518R0-5R0-22-12-SFF									
CHECKED ${\mathscr{SK}}$	11/3/15	SIZE	FSCM NO.		DWG NO.				REV.		
	777		A 71A34		PRELIMINARY			-			
ISSUED		SCALE N:S					SHEET	1 OF	1		