

SUMMARY TEST DATA ON SDLVA-1G20G-55-12-SFF

CUSTOMER: _____
SO: _____
MODEL NO: SDLVA-1G20G-55-12-SFF
SERIAL NO: PL53507/2526

TESTED BY: Jeremy Walker
TEMPERATURE: +25°C (Unless Otherwise Specified)
DATE: 6/26/2025
DRAWING NO: 27637600 REV: A1


TEST ITEM NO:	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range	1 GHz – 20 GHz	1 GHz – 20 GHz	Pass
2	Frequency Flatness	±2.0 dB Typ	± 1.90 dB See Plot	Pass
3	Log Linearity	±1.5 dB Typ (-50 to 0dBm)	± 1.97 dB See Plot	Pass
4	Log Linearity Over Temp	±2.0 dB Typ (-50 to 0dBm) (@ -55°C to +85°C)	By Design	Pass
5	Logging Range	-55 to +5 dBm	PASS	Pass
6	Video Load	50 OHMS	50 OHMS	Pass
7	Input VSWR	2.8:1 Typ	4.639:1	Pass
8	Log Video Output Voltage	0.1 V to 2.5V Typ	See Plot	Pass
9	Log Video Output Slope	50 mV / dB Typ	51.07 mV/dB	Pass
10	Log Video Output Rise Time	5 ns Typ (Pin = -20 dBm @ 10% to 90%)	7.5 nS	Pass
11	Log Video Output Fall Time	20 ns Typ (Pin = -20 dBm @ 90% to 10%)	11.8 nS	Pass
12	Log Video Recovery Time	28 ns Typ (Pin = -50 dBm to 0 dBm)	29.6 nS	Pass
13	Log Video Propagation Delay	15 ns Typ	By Design	Pass
14	TSS	-58dBm Typ	-58.8 dBm	Pass
15	Power Supply	+8V to +15V @ 130mA Typ	130mA	Pass

QA/QC Approval:  **PMI QAS**


Date: 6-30-25

LOG TRANSFER WITH FREQUENCY
 MODEL: SDLVA-1G20G-55-12-SFF
 SERIAL NO: PL53507
 Test Temp: +25C

Linearity Error VS Input Power



Video Out VS Input Power






**SUMMARY TEST DATA
ON
SDLVA-1G20G-55-12-SFF**

Model Number: SDLVA-1G20G-55-12-SFF
Serial Number: PL53507


Temperature: +25C





**SUMMARY TEST DATA
ON
SDLVA-1G20G-55-12-SFF**


Rise Time = 7.5 ns





**SUMMARY TEST DATA
ON
SDLVA-1G20G-55-12-SFF**

Fall Time = 11.8 ns






**SUMMARY TEST DATA
ON
SDLVA-1G20G-55-12-SFF**

Recovery Time = 29.6 ns

DSO-X 3034A, MY52394003: Tue Jun 24 10:48:07 2025





**SUMMARY TEST DATA
ON
SDLVA-1G20G-55-12-SFF**

TSS = -58.8 dBm

