




**TYPICAL ISOLATION  
CHARACTERISTICS  
FOR  
P7T-0R8G18G-60-T-SFF-SMC**




**TESTED & REPORTED BY:  
PAUL KUHN & RANDY COMBS  
August 23, 2012**




# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 - J1 All Off ) Isolation and Return Loss @ 25°C




### (J8 - J1 with J2 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 - J1 with J3 ON) Isolation and Return Loss @ 25°C**




**(J8 - J1 with J4 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 - J1 with J5 ON) Isolation and Return Loss @ 25°C



### (J8 - J1 with J6 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 - J1 with J7 ON) Isolation and Return Loss @ 25°C**




**(J8 - J2 All Off) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J2 with J1 ON) Isolation and Return Loss @ 25°C**




**(J8 – J2 with J3 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J2 with J4 ON) Isolation and Return Loss @ 25°C




### (J8 – J2 with J5 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J2 with J6 ON) Isolation and Return Loss @ 25°C



### (J8 – J2 with J7 ON) Isolation and Return Loss @ 25°C









# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J3 All Off) Isolation and Return Loss @ 25°C**




**(J8 – J3 with J1 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J3 with J2 ON) Isolation and Return Loss @ 25°C




### (J8 – J3 with J4 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J3 with J5 ON) Isolation and Return Loss @ 25°C**




**(J8 – J3 with J6 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J3 with J7 ON) Isolation and Return Loss @ 25°C**




**(J8 – J4 All Off) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J4 with J1 ON) Isolation and Return Loss @ 25°C




### (J8 – J4 with J2 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J4 with J3 ON) Isolation and Return Loss @ 25°C**



**(J8 – J4 with J5 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J4 with J6 ON) Isolation and Return Loss @ 25°C**




**(J8 – J4 with J7 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J5 All Off) Isolation and Return Loss @ 25°C**



**(J8 – J5 with J1 ON) Isolation and Return Loss @ 25°C**









# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J5 with J2 ON) Isolation and Return Loss @ 25°C**




**(J8 – J5 with J3 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J5 with J4 ON) Isolation and Return Loss @ 25°C**




**(J8 – J5 with J6 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J8 – J5 with J7 ON) Isolation and Return Loss @ 25°C**



**(J8 – J6 All Off) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J6 with J1 ON) Isolation and Return Loss @ 25°C




### (J8 – J6 with J2 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J6 with J3 ON) Isolation and Return Loss @ 25°C




### (J8 – J6 with J4 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J6 with J5 ON) Isolation and Return Loss @ 25°C




### (J8 – J6 with J7 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J7 All Off) Isolation and Return Loss @ 25°C



### (J8 – J7 with J1 ON) Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J7 with J2 ON) Isolation and Return Loss @ 25°C



### (J8 – J7 with J3 ON) Isolation and Return Loss @ 25°C








# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J8 – J7 with J4 ON) Isolation and Return Loss @ 25°C




### (J8 – J7 with J5 ON) Isolation and Return Loss @ 25°C





# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC


**(J8 – J7 with J6 ON) Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J1 – J2 with J1 ON) Port to Port Isolation and Return Loss @ 25°C




### (J1 – J2 with J2 ON) Port to Port Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

### (J2 – J3 with J2 ON) Port to Port Isolation and Return Loss @ 25°C




### (J2 – J3 with J3 ON) Port to Port Isolation and Return Loss @ 25°C






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J3 – J4 with J3 ON) Port to Port Isolation and Return Loss @ 25°C**




**(J3 – J4 with J4 ON) Port to Port Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J4 – J5 with J4 ON) Port to Port Isolation and Return Loss @ 25°C**




**(J4 – J5 with J5 ON) Port to Port Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J5 – J6 with J5 ON) Port to Port Isolation and Return Loss @ 25°C**




**(J5 – J6 with J6 ON) Port to Port Isolation and Return Loss @ 25°C**






# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J6 – J7 with J6 ON) Port to Port Isolation and Return Loss @ 25°C**



**(J6 – J7 with J7 ON) Port to Port Isolation and Return Loss @ 25°C**








# TYPICAL ISOLATION CHARACTERISTICS FOR P7T-0R8G18G-60-T-SFF-SMC

**(J1 – J7 with J1 ON) Port to Port Isolation and Return Loss @ 25°C**



**(J1 – J7 with J7 ON) Port to Port Isolation and Return Loss @ 25°C**

