

SUMMARY TEST DATA ON QSM-020-14-1-5-SFF

Customer: _____
 SO No: 20250106-02
 Model No: QSM-020-14-1-5-SFF
 Serial No: A5




Tested By: _____
 Temperature: +25° C
 Date: 10/23/2025
 Drawing No: 27650880 REV: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	100 MHz to 20 GHz	100 MHz to 20 GHz	
2	Gain:	14dB Typ.	15.1 dB Max. 13.3 dB Min. See Graph	
3	Gain Flatness:	±1 dB Max.	±0.87 dB See Graph	
4	Noise Figure:	5 dB Max.	5.28 dB See Graph	
5	OP1dB:	16 dBm Min.	14.79 dBm See Graph	
6	VSWR Input/Output:	2.0:1 Max.	1.8:1 In 1.8:1 Out See Graph	
7	DC Supply:	+12 to 15 VDC @ 100 mA Max.	+12 to +15 VDC @ 90 mA	




QA/QC Approval: _____

Date: _____

SUMMARY TEST DATA ON QSM-020-14-1-5-SFF



SUMMARY TEST DATA ON QSM-020-14-1-5-SFF





SUMMARY TEST DATA ON QSM-020-14-1-5-SFF

