

**SUMMARY TEST DATA  
ON  
PEAFS3-13-618-6R5-23-12-SFF**

Customer: \_\_\_\_\_  
 SO No: \_\_\_\_\_  
 Model No: PEAFS3-13-618-6R5-23-12-SFF  
 Serial No: PL54011/2528

Tested By: E. Kretz  
 Temperature: 25°C  
 Date: 7/8/2025  
 Drawing No: 27650840      REV: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	6 TO 18 GHz	6 TO 18 GHz	
2	Gain:	13 dB TYP	+12.5 dB Max. +11.6 dB Min. See Plot	
3	Gain Flatness:	1 dB MAX	±0.46 dB See Plot	
4	Noise Figure:	4 dB TYP, 5 dB MAX	4.74 dB See Plot	
5	OP1dB:	23 dBm MIN	+24.1 dBm See Plot	
6	VSWR: (In/Out)	2:1 MAX	1.91:1 In 2:1 Out See Plot	
7	DC Supply	12 to 15 VDC @ 300 mA MAX	180 mA	

QA/QC Approval: \_\_\_\_\_

Date: \_\_\_\_\_



