


**SUMMARY TEST DATA  
 ON  
 BPF-13G-1G-SFF**

Customer: \_\_\_\_\_  
 SO: \_\_\_\_\_  
 Model No: **BPF-13G-1G-SFF**  
 Serial No: **PL54910/2533**

Tested By: **E. Kretz**  
 Temperature: **25°C**  
 Date: **8/13/2025**  
 Drawing No: **27652260**      Rev: **A1**

| TEST ITEM | PARAMETERS                   | SPECIFIED VALUE      | TEST RESULTS                | QA/QC |
|-----------|------------------------------|----------------------|-----------------------------|-------|
| <b>1</b>  | Passband Frequency Range     | 12.5 GHz to 13.5 GHz | <b>12.5 GHz to 13.5 GHz</b> |       |
| <b>2</b>  | Insertion Loss (Passband)    | 0.6 dB Max.          | <b>0.43 dB</b>              |       |
| <b>3</b>  | Return Loss                  | 14 dB Min.           | <b>25.16 dB</b>             |       |
| <b>4</b>  | Rejection @ DC to 10 GHz     | 38 dBc Min.          | <b>39.8 dBc</b>             |       |
| <b>5</b>  | Rejection @ 16 GHz to 20 GHz | 43 dBc Min.          | <b>54.7 dBc</b>             |       |

**SUMMARY TEST DATA  
ON  
BPF-13G-1G-SFF**



**SUMMARY TEST DATA  
 ON  
 BPF-13G-1G-SFF**

