

**SUMMARY TEST DATA  
ON  
QC-052-YR3**



Customer: \_\_\_\_\_  
 SO No: \_\_\_\_\_  
 Model No: **QC-052-YR3**  
 Serial No: **PL55136/2543**

Tested By: **E. Kretz**  
 Temperature: **+25°C**  
 Date: **10/27/2025**  
 Drawing No: **27652760**      Rev: **A1**

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	0.5 to 2.0 GHz	<b>0.5 to 2.0 GHz</b>	
2	Nominal Split:	3.01 dB	<b>3.01 dB</b>	
3	Insertion Loss:	0.4 dB MAX	<b>0.29 dB (See Plot)</b>	
4	Isolation:	18 dB MIN	<b>22.7 dB (See Plot)</b>	
5	Amplitude Balance:	±2.5 dB MAX	<b>±1.38 dB (See Plot)</b>	
6	Phase Balance:	±2.5° MAX	<b>+1.4° -0.3° (See Plot)</b>	
7	VSWR:	1.5:1 MAX	<b>1.14:1 (See Plot)</b>	

QA/QC Approval: \_\_\_\_\_

Date: \_\_\_\_\_



**SUMMARY TEST DATA**  
**ON**  
**QC-052-YR3**

