



SUMMARY TEST DATA ON AMPLIFIER

Customer :
Job No :
Model No : PE2-14-5G-20-12-SFF-VVG
Serial No : PL1492/0502

Tested By : Kevin Mason
Temperature : +25°C
Date : 01/06/05

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	4.94 – 4.99 GHz	Pass (See Plot)	
2	Gain:	+14.5dB Typ.	Pass (See Plot)	
3	Noise Figure: (No Attenuation)	6.5dB Typ.	Pass (See Plot)	
4	OP1dB:	+20dBm Min.	≥ +20dBm	
5	VSWR:	Input : 2.0:1 Output: 2.0:1 (Max.)	Pass (See Plot)	
6	DC Supply:	400mA @ +12V Max.	238mA @+12V	
7	Gain Control	12dB Typ.	Pass	

Production Manager Approval:  Date: 01/06/05


QA/QC Approval:  Date: 01/06/05

5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com



VNA Plot


(CTL = 0V, No Attenuation)



5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com



Noise Figure Plot



5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com