

**SUMMARY TEST DATA
ON
PDC-1G2G-20-3KW-SMF**

CUSTOMER: _____
 SO: _____
 MODEL NO: PDC-1G2G-20-3KW-SMF
 SERIAL NO: PL55492/2539




TESTED BY: V. Pratap
 TEMPERATURE: +25°C
 DATE: 9/29/2025
 DRAWING NO: 27651940 REV: A1




| TEST ITEM NO: | PARAMETERS | SPECIFIED VALUE | MEASURED VALUE | QA/QC |
|---------------|--|--|------------------------------------|-------|
| 1 | Frequency Range | 1 GHz To 2.0 GHz | 1 GHz To 2.0 GHz | |
| 2 | Coupling (Including Frequency Sensitivity) | 20 ±1.25 dB | 18.76 dB to 20.05 dB | |
| 3 | Directivity | 25 dB Min | 26.7 dB | |
| 4 | Insertion Loss (Theoretical Coupling Loss of 0.044 Removed from Insertion Loss) | 0.2 dB Max | 0.13 dB | |
| 5 | VSWR | Primary 1.15:1 Max Secondary 1.15:1 Max | 1.14:1 Primary 1.14:1 Secondary | |

QA/QC Approval: _____

Date: _____

SUMMARY TEST DATA
ON
PDC-1G2G-20-3KW-SMF





7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 FAX: (301)662-1731
Email: sales@quanticpmi.com

