



35-3 Carlough Road, Bohemia NY 11716 Tel: 631 521 7831 Fax: 631 521 7871

Serial Number: 108877
Model No.: APTMP3-02002000-3620-D4

IMPORTANT - MUST USE HEAT SINK IF CASE TEMPERATURE EXCEEDS 50°C

Specifications at 23°C			
Frequency:	2.0- 20.0 GHz	Output Power @ 1dB Comp. Pt:	+ 20 dBm
Gain:	17 dB min.	Voltage/Current: DC Power	+15 VDC @325 mA, nom.
Gain Flatness:	± 2.5 dB max	Measured Current:	330 mA
VSWR Input:	2.5:1	Max. Noise Figure:	3.6 dB
VSWR Output:	2.5:1 Z=50 Ohms	Outline: Model:	D4 EM 10441A

Note: Test data taken with case temperature of +23 °C

Frequency (GHz)	Gain (dB)	VSWR		Noise Figure (dB)	Output Power @ 1dB Comp. (+dBm)
		In	Out		
2.0	23.4	1.78	2.39	3.04	21.2
6.0	25.3	1.93	2.10	2.89	23.7
10.0	25.0	2.06	1.60	3.01	24.2
14.0	23.9	1.67	2.14	2.92	23.3
18.0	22.8	1.62	1.55	3.03	21.5
20.0	20.4	2.47	1.32	3.46	20.2

Data taken at 23°C unless otherwise stated.

COMMENTS: Do not apply DC Voltage to the INPUT. The maximum RF CW Input to the unit is +15 dBm.

TESTER: _____

DATE: 10/30/2015

E-mail: sales@amplitechinc.com • **website:** www.amplitechinc.com