



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

Serial No. PL32953/2128

Customer: \_\_\_\_\_ Tested By: J. Alexis  
SO No: \_\_\_\_\_ Temperature: +25°C  
Model No: TCDRO-16G-CD-1 Date: 7/16/2021  
Serial No: PL32953/2128 Drawing No: 27434780 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz	
3	Output Power:	18 dBm Min.	19.40 dBm See Plot	
4	Spurious:	-85 dBc Min.	-86.87 dBc	
5	Harmonics:	-25 dBc Max.	-37.64 dBc See Plot	
6	*Phase Noise:	10 kHz Offset = -90 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -90.10 dBc/Hz 100 kHz Offset = -110.89 dBc/Hz	
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics	
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	1 mA @ +15 VDC	PMI QA 2

QA/QC Approval: \_\_\_\_\_

PMI  
QA 2

Date: \_\_\_\_\_


7/19/2021



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

Serial No. PL32953/2128

Carrier






**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

Serial No. PL32953/2128

Spurious







**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

Serial No. PL32953/2128

Harmonics





**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

Serial No. PL32953/2128

Phase Noise

